

Solutions for Progressive Tomorrow

PRICE LIST w.e.f. MAY 2015



Index

Cable Accessories	
Kits for 1.1 kV Cables	03
Kits for 3.3 kV (E/UE) / 6.6 kV (E) Unscreened Cables	05
Kits for 3.3kV (E/UE) / 6.6 kV (E) Screened Cables	06
Kits for 6.6 kV (UE) / 11 kV (E) Cables	08
Kits for 11 kV (UE) Cables	13
Kits for 22 kV Cables	14
Kits for 33 kV Cables	18
Kits for 66-245 kV Cables, GIS & Transformer Terminations	21
Insulation Enhancement	
Tubes	22
Tapes & Sheets	23
Creepage Extender	24
Medium Voltage Line Cover (MVLC)	24
Tools	24
Boots	25
Other Products	
Link Box upto 245 kV	26
Mechanical Connectors	26
Crimping Connectors	27
Repair Kit	27
Cable End Cap	28
Power Line Protector	28
Tappat Mini Pillar	29
Mk3 Link Box	29
Trafo Connect	29
Accessories for LV Aerial Bundled Cables (ABC)	
Insulation Piercing Connectors for Main / Service / Street Lighting Connections	30
Elastomeric End Caps	30
Accessories for LV ABC with Insulated & Bare Messenger	
Clamps for Insulated Messenger	31
Pole Line Hardware	31
Clamps for Bare Messenger	31
Clamps as per Local Requirements	31
Service Anchoring Clamp	32
Pre-Insulated Connector for Aerial Bundled Cables (ABC)	
Pre-Insulated Joining Sleeve for Phase Cables/Street Light Cables	32
Joining Sleeve for Insulated Messengers	32
Joining Sleeve for Bare Messengers	32
Pre-Insulated Bi-Metalic Lug for End Terminals of ABC	32
Distribution Boxes with Spring Loaded Busbar Connection	33
Distribution Boxes Mounting Arrangement	33
Connectors for Bare Overhead Cables	
Ampact Connectors Selection Chart for the Conductors used in India	34
Universal Distribution Connectors Selection Chart (UDC)	35
Mini Wedge Connector	35
Ampact Paddle Connector	35
Bottle Palm Connector	35
Surge Arrester	
Distribution Class	36
Bracket & Disconnecter	36
Indoor Arrester	36
Station Class	37
Surge Counter / Monitor	37
Insulators	38
Personnel Protective Equipments	
Arc-Suits	39
Electrical Insulation Boots	39
Electrical Safety Helmets	39
Electrical Insulation Gloves	40
Insulation Rubber Mats	41
Installation of Joints & Terminations	42

Kits for 1.1kV L.T. XLPE / PVC 1 To 4 Core Cables

Heat Shrink Type

Indoor / Outdoor End Terminations

CABLE SIZE Sq.mm.	KIT No.	FOR 1 CORE UNIT PRICE Rs.	FOR 3/3.5/ 4 CORE UNIT PRICE Rs.
4 - 16	EPKT 0003	—	1315
25 - 50	EPKT 0019	433	1652
70 - 150	EPKT 0035	583	1846
185 - 300	EPKT 0051	941	2337
400	EPKT 0067	1212	2782
500 - 630	EPKT 0083	1610	2857
800	EPKT 0083-800	1847	—
1000	EPKT 0083-1000	2577	—

Straight Through Joints (Tubular Sleeve Version)

CABLE SIZE Sq.mm.	KIT No.	FOR 1 CORE UNIT PRICE Rs.	FOR 2 CORE UNIT PRICE Rs.	FOR 3/3.5/ 4 CORE UNIT PRICE Rs.
1.5 - 6	EPKJ 0081	—	704	1210
10 - 16	EPKJ 0123	—	1907	2157
25 - 50	EPKJ 0130	2504	3163	4000
70 - 150	EPKJ 0137	4044	5580	6139
185 - 300	EPKJ 0144	5192	10604	11348
400	EPKJ 0151	5642	11348	11999
500	EPKJ 0158	6354	12186	14138
630	EPKJ 0158-630	6511	—	—
800	EPKJ 0158-800	7069	—	—
1000	EPKJ 0158-1000	8557	—	—

Straight Through Joints (Cold Applied Insulations & Sealing System)

CABLE SIZE Sq.mm.	KIT No.	FOR 3/3.5/ 4 CORE UNIT PRICE Rs.
6 - 16	RLVJ-S0	1476
25 - 50	RLVJ-S1	1747
70 - 95	RLVJ-S2	2522
120 - 185	RLVJ-S3	3416
225 - 240	RLVJ-S4	3749
300	RLVJ-S5	4502
400	RLVJ-S6	6129

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Cold Applied

Straight Through Joints (Rayvolve Cold Applied with Roll-On tube)

CABLE SIZE Sq.mm.	KIT No.	FOR 1 CORE UNIT PRICE Rs.	FOR 3/3.5/ 4 CORE UNIT PRICE Rs.
25 - 70	RVSJ-R1	4170	8750
95 - 150	RVSJ-R2	6877	12797
185 - 300	RVSJ-R3	7523	15883

Kits for 1.1kV Control Cable Size 1-2.5 Sq.mm.

Straight Through Joints

CABLE SIZE No. OF CORES	KIT No.	UNIT PRICE Rs.
4 - 7	ECKJ 0017	1503
8 - 14	ECKJ 0018	1861
15 - 21	ECKJ 0019	3031
22 - 40	ECKJ 0020	4178
41 - 75	ECKJ 0021	4844

Kits for Mining 1.1kV L.T. Cable

(A) Straight Through Joints

For 1.1 kV Unshielded Flexible Cable - 2 Core to 5 Core

CORE SIZE Sq.mm.	No. OF CORES	KIT No.	UNIT PRICE Rs.
1.5 to 6	Upto 3	EMKJ 0002	7392
1.5 to 6	Upto 4 & 5	EMKJ 0004	13231
10 to 16	Upto 5	EMKJ 0017	14712
25 to 50	Upto 5	EMKJ 0027	15736
70 to 120	Upto 5	EMKJ 0037	23806

Note : Dimensioned cross sectional drawing of cable is required for correct product selection

(B) Straight Through Joints

For 1.1 kV Shielded Flexible Cable Unarmoured - 2 Core to 5 Core

CORE SIZE Sq.mm.	No. OF CORES	KIT No.	UNIT PRICE Rs.
1.5 to 6	Upto 3	EMKJ 0102	7468
1.5 to 6	Upto 4 & 5	EMKJ 0104	13657
10 to 16	Upto 5	EMKJ 0117	14586
25 to 50	Upto 5	EMKJ 0127	16590
70 to 120	Upto 5	EMKJ 0137	24709

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 3.3 kV (E/UE) - 6.6 kV (E) Unscreened XLPE / PVC Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 95	EPKT 1402	1534
120 - 185	EPKT 1410	1672
240 - 400	EPKT 1418	2019
500 - 630	EPKT 1426	2621
800 - 1000	EPKT 1434	3649

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 95	EPKT 1552	1860
120 - 185	EPKT 1560	1973
240 - 400	EPKT 1568	2746
500 - 630	EPKT 1576	3383
800 - 1000	EPKT 1584	4381

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 120	EPKJ 1350	4495
150 - 300	EPKJ 1351	5093
400 - 630	EPKJ 1352	6947
800 - 1000	EPKJ 1353	9115

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2041	7887
70 - 120	EPKT 2051	8737
150 - 240	EPKT 2061	9893
300 - 400	EPKT 2071	11024

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2292	12863
70 - 120	EPKT 2302	13399
150 - 240	EPKT 2312	14445
300 - 400	EPKT 2322	17866

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 70	EPKJ 2079	9784
95 - 150	EPKJ 2080	13172
185 - 400	EPKJ 2081	20756

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 3.3 kV (E/UE) - 6.6 kV (E) Screened XLPE / PVC Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2002	2916
70 - 120	EPKT 2010	2968
150 - 240	EPKT 2018	3181
300 - 500	EPKT 2026	3946
630 - 1000	EPKT 2034	6245

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2252	3832
70 - 120	EPKT 2260	3973
150 - 240	EPKT 2268	4793
300 - 500	EPKT 2276	5780
630 - 1000	EPKT 2284	8117

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 70	EPKJ 2050	6236
95 - 150	EPKJ 2051	7492
185 - 400	EPKJ 2052	8684
500 - 1000	EPKJ 2053	9018

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2091	9221
70 - 120	EPKT 2101	9566
150 - 240	EPKT 2111	10794
300 - 400	EPKT 2121	13307

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 2342	12906
70 - 120	EPKT 2352	13214
150 - 240	EPKT 2362	15657
300 - 400	EPKT 2372	17802

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 70	EPKJ 3079	15534
95 - 150	EPKJ 3080	19339
185 - 400	EPKJ 3081	21142

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for Mining 3.3 kV (E/UE) and 6.6 kV (E) Cable

(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
3.3 kV (E) & (UE) / 6.6 kV (E)	10/10-70/70	EMKT 7A4IH2	9683	EMKT 7A4OH3	16374
3.3 kV (E) & (UE) / 6.6 kV (E)	95/95-185/185	EMKT 7B4IH2	10649	EMKT 7B4OH3	18010

Note : Dimensioned cross sectional drawing of cable is required for correct product selection

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
3.3 kV (E) & (UE) / 6.6 kV (E)	25/10-70/16	EMKT 7E6IH2	15284	EMKT 7E6OH3	20375
3.3 kV (E) & (UE) / 6.6 kV (E)	95/16-185/35	EMKT 7F6IH2	16811	EMKT 7F6OH3	22401

Note : Dimensioned cross sectional drawing of cable is required for correct product selection

Straight Through Joints for Flexible Cable, Screened 3-core / 1 Earth Core With/Without Metal Shielded

POWER/EARTH CORE SIZE Sq.mm.	VOLTAGE kV	KIT No.	UNIT PRICE Rs.
10/10 - 35/35	3.3 kV (E/UE) & 6.6 kV (E)	EMKJ 2001	35397
50/50 - 95/95	3.3 kV (E/UE) & 6.6 kV (E)	EMKJ 2011	37582
120/120 - 185/185	3.3 kV (E/UE) & 6.6 kV (E)	EMKJ 2021	48033

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

Straight Through Joints for Flexible Cable, Screened 3-core / 3 Earth Core With/Without Metal Shield

POWER / EARTH CORE SIZE	VOLTAGE kV	KIT No.	UNIT PRICE Rs.
25/10 - 95/16	3.3 kV (E/UE) & 6.6 kV (E)	EMKJ 2201	36900
120/16 - 185/35	3.3 kV (E/UE) & 6.6 kV (E)	EMKJ 2211	48033

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3002	3143
50 - 95	EPKT 3010	3313
120 - 240	EPKT 3018	3794
300 - 500	EPKT 3026	5848
630 - 1000	EPKT 3034	7574

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3252	4399
50 - 95	EPKT 3260	4737
120 - 240	EPKT 3268	5509
300 - 500	EPKT 3276	6963
630 - 1000	EPKT 3284	9522

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKJ 3250	10133
70 - 120	EPKJ 3251	11206
150 - 185	EPKJ 3252	12647
240 - 300	EPKJ 3253	14155
400 - 500	EPKJ 3254	17666
630 - 1000	EPKJ 3255	21763

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3091	9558
50 - 95	EPKT 3101	11844
120 - 185	EPKT 3111	14175
240 - 300	EPKT 3121	15121
400	EPKT 3131	15971

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3342	15694
50 - 95	EPKT 3352	18249
120 - 185	EPKT 3362	19594
240 - 300	EPKT 3372	22033
400	EPKT 3382	23173

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKJ 3115	26028
50 - 95	EPKJ 3116	29139
120 - 185	EPKJ 3117	38581
240 - 400	EPKJ 3118	42195

HVT Type Terminations

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	HVT 3091	8132
50 - 95	HVT 3101	9478
120 - 185	HVT 3111	11222
240 - 300	HVT 3121	11744
400	HVT 3131	12708

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	HVT 3342	13168
50 - 95	HVT 3352	15147
120 - 185	HVT 3362	16655
240 - 300	HVT 3372	18285
400	HVT 3382	18811

HVS Type Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	HVS-X-13	17692
50 - 95	HVS-X-59	19362
120 - 185	HVS-X-1218	25079
240 - 400	HVS-X-2440	28154

Uniterm Type Terminations

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	IXSW 3111	3860
50 - 95	IXSW 3121	4260
120 - 240	IXSW 3131	6476
300 - 500	IXSW 3141	8613
630 - 800	IXSW 3151	11824

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 6.6 kV (UE) - 11 kV (E) Screened XLPE Cables

Uniterm Type Terminations

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	OXSW 3111	4520
50 - 95	OXSW 3121	4937
120 - 240	OXSW 3131	7088
300 - 500	OXSW 3141	9347
630 - 800	OXSW 3151	12754

Uniterm Type Terminations

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 70	IXSW 3342	13028
95 - 185	IXSW 3352	19683
240 - 400	IXSW 3362	24795

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 70	OXSW 3342	14639
95 - 185	OXSW 3352	21127
240 - 400	OXSW 3362	25981

Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 95	MXSW 3111	11504
120 - 240	MXSW 3131	16438
300 - 400	MXSW 3141	21664

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 95	MXSW 3311	33377
120 - 240	MXSW 3331	46437
300 - 400	MXSW 3341	57420

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	SXSW 3111	10352
95 - 185	SXSW 3121	11699
240 - 300	SXSW 3131	14795
400 - 500	SXSW 3141	19498

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 35	SXSW 3304	26832
50 - 70	SXSW 3314	30041
95 - 185	SXSW 3324	38213
240 - 300	SXSW 3334	41793

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 6.6 kV (UE) - 11 kV (E) Screened / Belted PILC Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 3578	2792
70 - 120	EPKT 3583	3137
150 - 240	EPKT 3588	3292
300 - 500	EPKT 3593	5953
630 - 1000	EPKT 3598	8862

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 3853	5113
70 - 120	EPKT 3858	5266
150 - 240	EPKT 3863	6084
300 - 500	EPKT 3868	8138
630 - 1000	EPKT 3873	11008

HVS Type Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 25	HVS-1-3250	7974
35 - 70	HVS-1-3251	10406
95 - 150	HVS-1-3252	11815
185 - 300	HVS-1-3253	14052
400 - 500	HVS-1-3254	17914
630 - 1000	HVS-1-3255	20080

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3667	12604
50 - 95	EPKT 3673	13321
120 - 185	EPKT 3679	16194
240 - 400	EPKT 3685	19036
500 - 630	EPKT 3691	29570

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 3943	18652
50 - 95	EPKT 3949	20542
120 - 185	EPKT 3955	23610
240 - 400	EPKT 3961	26872
500 - 630	EPKT 3967	33182

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 6.6 kV (UE) - 11 kV (E) Screened / Belted PILC Cables

HVS Type Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	HVS-3-1151	23495
50 - 95	HVS-3-1152	24423
120 - 185	HVS-3-1153	27931
240 - 400	HVS-3-1154	34729
500 - 630	HVS-3-1155	42924

IPKT Type Terminations for PILC Belted Cable

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	IPKT 3667	8396
50 - 95	IPKT 3673	8876
120 - 185	IPKT 3679	10786
240 - 400	IPKT 3685	12678
500 - 630	IPKT 3691	19699

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	IPKT 3943	13464
50 - 95	IPKT 3949	14828
120 - 185	IPKT 3955	17043
240 - 400	IPKT 3961	19398
500 - 630	IPKT 3967	23948

IHVS Type Three Core PILC Belted H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	IHVS-3-1151	22320
50 - 95	IHVS-3-1152	23202
120 - 185	IHVS-3-1153	26535
240 - 400	IHVS-3-1154	32993
500 - 630	IHVS-3-1155	40778

ETRJ Type - Transition Joint for 11kV(E) 3C XLPE Screened To 3C PILC Belted / Screened Cables

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 25	ETRJ 4775	36860
35 - 70	ETRJ 4776	48378
95 - 150	ETRJ 4777	51547
185 - 300	ETRJ 4778	54474
400 - 500	ETRJ 4779	57593

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for Mining 11 kV (E) Cable

(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
11kV (E) & (UE)	10/10-50/50	EMKT 17A4IH2	11709	EMKT 17A4OH3	19811
	70/70-95/95	EMKT 17B4IH2	16353	EMKT 17B4OH3	23503

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
11kV (E) & (UE)	25/10-185/35	EMKT 17E6IH2	18492	EMKT 17E6OH3	24657

Note : Dimensioned cross sectional drawing of cable is required for correct product selection

Kits for 11 kV (UE) Screened / Belted PILC Cables

Heat Shrink Type

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 4667	11574
50 - 95	EPKT 4673	13152
120 - 185	EPKT 4679	14760
240 - 400	EPKT 4685	19970
500 - 630	EPKT 4691	31352

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	EPKT 4943	21451
50 - 95	EPKT 4949	21661
120 - 185	EPKT 4955	23145
240 - 400	EPKT 4961	26509
500 - 630	EPKT 4967	38126

HVS Type Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	HVS-3-2151	39881
50 - 95	HVS-3-2152	41783
120 - 185	HVS-3-2153	44781
240 - 400	HVS-3-2154	48902

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 22 kV (E) Screened XLPE Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 5002	3916
70 - 150	EPKT 5010	4641
185 - 300	EPKT 5018	5847
400 - 630	EPKT 5026	7977
800 - 1000	EPKT 5034	8554

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 5252	5564
70 - 150	EPKT 5260	6493
185 - 300	EPKT 5268	7296
400 - 630	EPKT 5276	9731
800 - 1000	EPKT 5284	10494

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKJ 5256	18207
70 - 150	EPKJ 5257	19403
185 - 240	EPKJ 5258	22072
300 - 400	EPKJ 5259	25871
500 - 630	EPKJ 5260	34075
800 - 1000	EPKJ 5261	36604

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 5092	12231
70 - 120	EPKT 5102	15156
150 - 185	EPKT 5112	18514
240 - 400	EPKT 5122	21780

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 50	EPKT 5343	19991
70 - 120	EPKT 5353	24524
150 - 185	EPKT 5363	28090
240 - 400	EPKT 5373	37346

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKJ 5115	47206
70 - 95	EPKJ 5116	55134
120 - 150	EPKJ 5117	58182
185 - 240	EPKJ 5118	73688
300 - 400	EPKJ 5119	82054

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 22 kV (E) Screened XLPE Cables

Uniterm Type Terminations

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 70	IXSW 5121	3930
95 - 240	IXSW 5131	4820
300 - 400	IXSW 5141	7106
500 - 800	IXSW 5151	12481

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 70	OXSW 5121	6212
95 - 240	OXSW 5131	8018
300 - 400	OXSW 5141	10060
500 - 800	OXSW 5151	13894

Uniterm Type Terminations

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	IXSW 5321	17114
70 - 185	IXSW 5331	19922
240 - 400	IXSW 5341	24144

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	OXSW 5321	25968
70 - 185	OXSW 5331	31347
240 - 400	OXSW 5341	40932

Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 95	MXSW 5111	23068
120 - 240	MXSW 5131	26241
300 - 400	MXSW 5141	38078

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 95	MXSW 5311	66161
120 - 240	MXSW 5331	88427
300 - 400	MXSW 5341	96324

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 95	SXSW 5121	20373
120 - 240	SXSW 5131	23177
300 - 500	SXSW 5141	35001
630 - 800	SXSW 5151	38437

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 95	SXSW 5304	57891
120 - 240	SXSW 5314	77373
300	SXSW 5324	84285

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 22 kV (E) Screened PILC Cables Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 5578	3276
70 - 150	EPKT 5583	3724
185 - 400	EPKT 5588	5349
500 - 800	EPKT 5593	7755
1000	EPKT 5598	9285

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 5853	6152
70 - 150	EPKT 5858	6694
185 - 400	EPKT 5863	8084
500 - 800	EPKT 5868	10371
1000	EPKT 5873	11619

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKJ 7256	23043
70 - 150	EPKJ 7257	24251
185 - 240	EPKJ 7258	28926
300 - 500	EPKJ 7259	29971

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 5638	12978
70 - 120	EPKT 5644	16693
150 - 240	EPKT 5650	22218
300 - 500	EPKT 5656	26028

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 5914	22107
70 - 120	EPKT 5920	26139
150 - 240	EPKT 5926	30285
300 - 500	EPKT 5932	40245

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKJ 7115	56430
70 - 95	EPKJ 7116	60586
120 - 150	EPKJ 7117	74406
185 - 240	EPKJ 7118	77242
300 - 400	EPKJ 7119	83614

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

ETRJ Type - Transition Joint for 22kV(E) 3C XLPE Screened To 3C PILC Screened Cables

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
95 - 150	ETRJ 5777	76800
185 - 300	ETRJ 5778	95763

Kits for Mining 22 kV (E) Cable

(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
22kV (E)	16/16-95/95	EMKT 24A4IH3	14174	EMKT 24A4OH4	23975

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
22kV (E)	25/10-185/35	EMKT 24E6IH3	20342	EMKT 24E6OH4	27123

Note: Dimensioned cross sectional drawing of cable is required for correct product selection



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supercedes : August 2013

Kits for 33 kV (E) Screened XLPE Cables

Heat Shrink Type

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 6002	5128
70 - 185	EPKT 6010	5910
240 - 500	EPKT 6018	8722
630 - 800	EPKT 6026	10049
1000	EPKT 6034	11070

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 6252	8673
70 - 185	EPKT 6260	9995
240 - 500	EPKT 6268	11449
630 - 800	EPKT 6276	12609
1000	EPKT 6284	13605

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKJ 6256	21368
95 - 150	EPKJ 6257	27354
185 - 400	EPKJ 6258	32798
500 - 1000	EPKJ 6259	48245

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 6093	18532
70 - 95	EPKT 6103	19930
120 - 185	EPKT 6113	30137
240 - 400	EPKT 6123	34173

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 50	EPKT 6344	25421
70 - 95	EPKT 6354	32307
120 - 185	EPKT 6364	41875
240 - 400	EPKT 6374	55425

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKJ 6115	56884
95 - 150	EPKJ 6116	71885
185 - 300	EPKJ 6117	102091
400	EPKJ 6118	114324

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Kits for 33 kV (E) Screened XLPE Cables

Uniterm Type Terminations

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 120	IXSW 6141	6541
150 - 400	IXSW 6151	9618
500 - 800	IXSW 6161	18505

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 120	OXSW 6141	11130
150 - 400	OXSW 6151	12500
500 - 800	OXSW 6161	23014

Uniterm Type Terminations

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 120	IXSW 6332	21534
150 - 300	IXSW 6342	32176
400 - 500	IXSW 6352	57530

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 120	OXSW 6332	33145
150 - 300	OXSW 6342	48748
400 - 500	OXSW 6352	72308

Single Core H.T. Cable Straight Through Joints (using Mechanical Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 95	MXSW 6111	31332
120 - 240	MXSW 6131	37569
300 - 400	MXSW 6141	52787

Three Core H.T. Cable Straight Through Joints (using Mechanical Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 95	MXSW 6311	87076
120 - 240	MXSW 6331	120977
300 - 400	MXSW 6341	135473

Single Core H.T. Cable Straight Through Joints (using Crimping Connector & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 150	SXSW 6122	28200
185 - 300	SXSW 6132	33812
400 - 630	SXSW 6142	48655

Three Core H.T. Cable Straight Through Joints (using Crimping Connectors & Rayfit Tubing)

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
50 - 70	SXSW 6304	60856
95 - 150	SXSW 6314	76903
185 - 400	SXSW 6324	119646

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Kits for 33 kV (E) Screened PILC Cables

Single Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKT 6578	4732
95 - 150	EPKT 6583	5682
185 - 300	EPKT 6588	8070
400 - 630	EPKT 6593	10511
800 - 1000	EPKT 6598	11478

Single Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKT 6853	8302
95 - 150	EPKT 6858	9963
185 - 300	EPKT 6863	10780
400 - 630	EPKT 6868	13539
800 - 1000	EPKT 6873	14336

Single Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKJ 8256	22851
95 - 150	EPKJ 8257	25564
185 - 400	EPKJ 8258	31533
500 - 630	EPKJ 8259	45000
800 - 1000	EPKJ 8260	57856

Three Core H.T. Cable Indoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKT 6639	20401
95 - 150	EPKT 6645	24072
185 - 300	EPKT 6651	33371
400	EPKT 6657	35863

Three Core H.T. Cable Outdoor Terminations

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKT 6915	29447
95 - 150	EPKT 6921	36663
185 - 300	EPKT 6927	42381
400	EPKT 6933	56466

Three Core H.T. Cable Straight Through Joints

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
35 - 70	EPKJ 8115	73384
95 - 150	EPKJ 8116	82577
185 - 300	EPKJ 8117	117415
400	EPKJ 8118	120054

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

ETRJ Type - Transition Joint for 33kV (E) 3C XLPE Screened to 3C PILC Screened Cables

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
185 - 400	ETRJ 6778	143238

Kits for Mining 33 kV (E) Cable

(A) Terminations - 3 Phase, 4 Core Cables (1 Earth Core)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
33kV (E)	25/25-120/120	EMKT 36A4IH4	16300	EMKT 36A4OH5	34460

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

(B) Terminations - 3 Phase, 6 Core Cables (3 Earth Cores)

VOLTAGE CLASS kV	CROSS SECTION Sq. mm.	INDOOR KIT No.	UNIT PRICE Rs.	OUTDOOR KIT No.	UNIT PRICE Rs.
33kV (E)	25/10-185/35	EMKT 36E6IH4	33434	EMKT 36E6OH5	51430

Note: Dimensioned cross sectional drawing of cable is required for correct product selection

Kits for 66-245 kV Cables, GIS & Transformer Terminations

Heat Shrink Type

IHVT Type Single Core Indoor Termination

CABLE SIZE Sq. mm.	KIT No.	UNIT PRICE Rs.
As per Customer requirement	Please contact your nearest Regional Office with Cable and System details for Prices.	

OHVT Type Single Core Outdoor Termination

CABLE SIZE Sq. mm.	KIT No.	UNIT PRICE Rs.
As per Customer requirement	Please contact your nearest Regional Office with Cable and System details for Prices.	

EHVS Single Core Straight Through Joints

CABLE SIZE Sq. mm.	KIT No.	UNIT PRICE Rs.
As per Customer requirement	Please contact your nearest Regional Office with Cable and System details for Prices.	

PHVS (T) Single Core Switch Gear & Transformer Termination

CABLE SIZE Sq. mm.	KIT No.	UNIT PRICE Rs.
As per Customer requirement	Please contact your nearest Regional Office with Cable and System details for Prices.	

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers
- All above prices are for Al. Lugs & Ferrules. For copper lugs & ferrules, please refer to page 27

Issued : May 2015

Supersedes : August 2013

Insulation Enhancement

Tubes

Heat Shrinkable Busbar Protection Tubes (Uncoated) Supplied In Continuous Length

PRODUCT REFERENCE	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
BPTM 15/6 - A/U	30	1256
BPTM 30/12 - A/U	30	1353
BPTM 50/20 - A/U	30	1940
BPTM 75/30 - A/U	20	3243
BPTM 100/40 - A/U	25	4670
BPTM 120/50 - A/U	25	6576
BPTM 175/70 - A/U	15	8838

Heat Shrinkable Busbar Insulation Tubes (Uncoated) Supplied In Continuous Length

PRODUCT REFERENCE	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
BBIT 25/10 - A/U	25	2576
BBIT 40/16 - A/U	20	2851
BBIT 65/25 - A/U	15	3661
BBIT 100/40 - A/U	15	5676
BBIT 150/60 - A/U	15	9186
BBIT 175/80 - A/U	10	11635

Heat Shrinkable Medium Wall Insulating Tubes (Uncoated) Supplied In Continuous Length

PRODUCT REFERENCE	APPLICATION RANGE (in mm.)	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
MWTM 10/3 - A/U	4-9	40	774
MWTM 16/5 - A/U	6-14	40	935
MWTM 25/8 - A/U	9-22	40	1015
MWTM 35/12 - A/U	13-31	30	1447
MWTM 50/16 - A/U	17-45	25	1746

Heat Shrinkable Outer Protection Insulating Tubes (Coated)

PRODUCT REFERENCE	APPLICATION RANGE (in mm.)	LENGTH (in mm.)	UNIT PRICE Rs.
WCSM - 20/6	7-18	1500	3699
WCSM - 33/8	9-29	1500	3880
WCSM - 48/12	13-38	1500	4259
WCSM - 56/16	18-46	1500	5975
WCSM - 90/25	28-76	1500	7620
WCSM - 130/35	40-117	1500	11090
WCSM - 160/50	55-144	1500	13515
WCSM - 180/50	55-162	1500	18212

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Tapes & Sheets

High Voltage Busbar Insulating Heat Shrinkable Tape

PRODUCT REFERENCE	WIDTH (in mm.)	UNIT PRICE Rs./m.
HVBT - 12 - A	25	966
HVBT - 14 - A	50	1898
HVBT - 15 - A	75	2781
HVBT - 16 - A	100	3631

High Voltage Insulation Sheet Heat Shrinkable



PRODUCT REFERENCE	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
HVIS -10	10 (Width 660mm)	183333

High Voltage Insulation Sheet Non Heat Shrinkable

PRODUCT REFERENCE	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
BCIS - 1 (NS)	100 (Width730MM)	15043

Non Heat Shrink Tapes

PRODUCT REFERENCE	WIDTH / LENGTH (in mm.)	UNIT PRICE Rs.
TAPE - SELF - AMAL - INSU.	38/10000	2371
SELF - AMAL - SEMI - COND.	19/5000	1451
POLYSTIX - 1i	25/600	99
POLYSTIX - 2i	50/1000	243
EPPA-033 - 1 - 1000	19/1000	2175



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015

Supersedes : August 2013

Creepage Extenders

High Voltage Creepage Extender

PRODUCT REFERENCE	SHED DIA. OF INSULATOR (in mm.)	UNIT PRICE Rs.
HVCE 140/120 - 01	121 - 140	19521
HVCE 160/140 - 01	141 - 160	29279
HVCE 205/184 - 01	184 - 205	32530
HVCE 268/248 - 11	248 - 268	41918
HVCE 310/290 - 11	290 - 310	48446

High Voltage Creepage Extender


PRODUCT REFERENCE	SHED DIA. OF INSULATOR (in mm.)	UNIT PRICE Rs.
HVCE - WA - 221 - 01 - (B6)	221	28258
HVCE - WA - 280 - 01	280	32891
HVCE - WA - 292 - 01 (B6)	292	37661
HVCE - WA - 341 - 01 (B6)	340	64664
HVCE - WA - 420 - 01	420	138113

Medium Voltage Line Cover

PRODUCT REFERENCE	kV	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
MVLC - 14 - A/241 (COATED)	33	100	3148
MVLC - 18 - A/U	11	75	2206
MVLC - 18 - A/241 (COATED)	33	50	3148
MVLC - 38 - A/241 (COATED)	33	165	4352

Tools

PRODUCT REFERENCE	UNIT PRICE Rs.
MVLC - HAND - TOOL	87830



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Boots

11kV Right Angled Heat Shrink Boots

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
16 - 35	RSRB 4042	13612
50 - 95	RSRB 4044	14079
120 - 300	RSRB 4046	15689

22kV / 33kV Rightangled Heat Shrink Boots

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
120 - 185 (FOR BUSHING DIA < 65mm)	RSRB 6044	14703
120 - 185 (FOR BUSHING DIA > 65mm)	RSRB 6045	38456
225 - 400 (FOR BUSHING DIA > 65mm)	RSRB 6046	38958

11kV (E) / (UE) Right Angled Cold Applied Boots

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 400	SILCAB-KIT	8105

11kV (E) / (UE) Right Angled Cold Applied Boots

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 400	E-CAB-KIT	4198



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015
Supercedes : August 2013

Others

Link Box for HV/EHV Network

PRODUCT REFERENCE	DESCRIPTION	UNIT PRICE Rs.
RRL-01-LINK	1- PH. LINK BOX W/O SHEATH VOLT. LIMITER (SVL)	Please contact your nearest Regional Office with Cable and System details for Prices.
RRL-01-LINK-SVL-03/10	1- PH. LINK BOX WITH SHEATH VOLT. LIMITER 3kV,10KA(SVL)	
RRL-01-LINK-SVL-06/10	1- PH. LINK BOX WITH SHEATH VOLT. LIMITER 6kV,10KA(SVL)	
RRL-03-LINK	3- PH. LINK BOX W/O SHEATH VOLT. LIMITER (SVL)	
RRL-03-LINK-SVL-03/10	3- PH. LINK BOX WITH SHEATH VOLT. LIMITER 3kV,10KA(SVL)	
RRL-03-LINK-SVL-06/10	3- PH. LINK BOX WITH SHEATH VOLT. LIMITER 6kV, 10KA(SVL)	


Mechanical Connectors

Ferrules

PRODUCT REFERENCE	BLOCK	CONDUCTOR SIZE Sq. mm.	UNIT PRICE Rs.
BSMU - 25/95	No	25-95	2579
BSMB - 25/95	Yes	25-95	2585
BSMU - 35/150	No	35-150	3500
BSMB - 35/150	Yes	35-150	3865
BSMU - 95 - 240	No	95-240	4931
BSMB - 95/240	Yes	95-240	5609
BSMU - 185/400	No	185-400	7695
BSMB - 185/400	Yes	185-400	7974
BSMU - 120/300	No	120-300	7933
BSMB - 120/300	Yes	120-300	8579
BSMB - 185/400-500	Yes	185-400/500	16784
BSMB - 185/400-630	Yes	185-400/630	17842
BSMB - 630 MK2	Yes	630	14809

Lugs

PRODUCT REFERENCE	CONDUCTOR SIZE Sq. mm.	UNIT PRICE Rs.
BLMT - 25/95 - 13	25-95	3232
BLMT - 35/150 - 13	35-150	6956
BLMT - 95/240 - 17	95-240	4413
BLMT - 120/300 - 17	120-300	7671
BLMT - 185/400 - 17	185-400	6986
BLMT - 500/630 - 17	500-630	12433



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Crimping Connectors

Crimping Type Heavy Duty Copper Lugs

CROSS SECTION	UNIT PRICE
16	51
25	80
35	61
50	100
70	161
95	217
120	311
150	438
185	567
240	785
300	1240
400	1602
500	1850
630	4184
800	5000
1000	9644

Crimping Type Heavy Duty Copper Ferrule

CROSS SECTION	UNIT PRICE
16	40
25	96
35	126
50	136
70	145
95	205
120	296
150	371
185	544
240	677
300	957
400	1595
500	2190
630	2631
800	3881
1000	5562

Wrap Around Heat Shrinkable Flexible Cable Repair Sleeves

PRODUCT REFERENCE	APPLICATION RANGE (in mm)	LENGTH (in mm)	UNIT PRICE Rs.
MRSM 50/23	25-40	600	10085
MRSM 73/38	40-58	600	12276
MRSM 100/51	58-89	600	18947

Repair Kit

Heat Shrinkable Wrap Around Outer Sheath Repair Kit

PRODUCT REFERENCE	CABLE OUTER DIA (in mm)	STD LENGTH (in mm)	UNIT PRICE Rs.
IRJ-1	10-40	525	1344
IRJ-2	10-40	700	1712
IRJ-3	24-56	700	2049
IRJ-4	32-82	910	3250
IRJ-5	40-110	965	3759
IRJ-6	57-145	1100	4985

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015
Supercedes : August 2013

Others

Cable End Caps

PRODUCT REFERENCE	CABLE OUTER (in mm.)	MIN. ORDER QTY.	UNIT PRICE Rs.
102 L 011 / S	5-9	1000	18
102 L 022 / S	5.5-17	500	42
102 L 033 / S	13-30	400	66
102 L 044 / S	23-50	150	91
102 L 048 / S	30-71	75	155
102 L 055 / S	43-95	50	202
102 L 066 / S	68-120	40	262

11kV(E) / (UE) Straight Cold Applied Boots

CABLE SIZE Sq.mm.	KIT No.	UNIT PRICE Rs.
25 - 400	CAB-RRL-KIT	7340

Power Line Protector

PRODUCT REFERENCE	kV	ROLL LENGTH (in m.)	UNIT PRICE Rs./m.
POLIPRO	1.1	20	393
POLIPRO	1.1	35	393

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

TAPPAT Mini Pillar

Product Discription	Ampacity	Incoming	Outgoing	Price
TAPPAT Mini Pillar with Link Conecting system : 2 Way	400A	2 Nos of 3.5/4 core Range : 120-300 mm ² Al	6 Nos of 2/3.5/4 core Range : 25-50 mm ² Al	Available on request
TAPPAT Mini Pillar with Link Conecting system : 3 Way	400A	3 Nos of 3.5/4 core Range : 120-300 mm ² Al	5 Nos of 2/3.5/4 core Range : 25-50 mm ² Al	
TAPPAT Mini Pillar with Link Conecting system : 2 Way with Service connection fuses	400A	2 Nos of 3.5/4 core Range : 120-300 mm ² Al	6 Nos of 2/3.5/4 core Range : 25-50 mm ² Al with HRC Fuse 80-125 Al	
TAPPAT Mini Pillar : Wall Mount configuration : 2 Way	400A	2 Nos of 3.5/4 core Range : 120-300 mm ² Al	4 Nos of 2/3.5/4 core Range : 25-50 mm ² Al	

Mk3 Link Box

Product Discription	Cable Range	Price
Mk3 Underground Link Box : 2-Way	2 Nos of 3/3.5/4 core Range : 95-300 mm ²	Available on request
MK3 Underground Link Box : 4 Way	4 Nos of 3/3.5/4 core Range : 95-300 mm ²	

Trafo-Connect

Product Discription	Ampacity	Stud Details	Outgoing	Price
Horizontal Bushing 3 Way TRAFO 2000A, 630 Sq.mm cable with Insulation kit	2000 A	M42x3 Stud	3 nos of 630 Sq.mm	50750
Vertical Bushing 3 Way TRAFO 2000A, 630 Sq.mm cable with Insulation kit	2000 A	M42x3 Stud	3 nos of 630 Sq.mm	54250
Horizontal Bushing 2 Way TRAFO 1300A, 630 Sq.mm cable with Insulation kit	1300 A	M30x2	2 nos of 630 Sq.mm	47250
Horizontal Bushing 2 Way TRAFO 500A, 120-300 Sq.mm cable with Insulation kit	500 A	M30x2 & M20x2.5	2 Nos of 120-300 Sq.mm	40250
Horizontal Bushing 4 Way TRAFO 2000A, 500 Sq.mm cable with Insulation kit	2000 A	M42x3 Stud	4 nos of 500 Sq.mm	68250
Other Ranges / variants depends upon customer / site requirement	-	-	-	Available on request

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015

Supersedes : August 2013

Accessories for LV Aerial Bundled Cables (ABC)

Insulation Piercing Connectors (IPC) for Main / Service / Street Lighting Connections

Range (in sq.mm)		Description	Model	Unit Price (Rs.)	MOQ (in pcs)
Main	Tap				
16 - 95	1.5 - 10	IPC Type 001	EP 95	158	500
16 - 95	1.5 - 10	IPC Type 001	EP95-B	148	
16 - 95	1.5 - 35	IPC Type 001	KZEP-95	165	
16 - 95	4 - 50	IPC Type 002	KZ2-95	193	
50 - 150	6 - 50	IPC Type 003	KZ2-150	263	
50 - 150	6 - 50	IPC Type 003	KZ2-150_B	315	
25 - 95	25 - 95	IPC Type 004	KZ3-95	333	
50 - 150	50 - 150	IPC Type 005	KZ4-150	438	
50 - 150	50 - 150	IPC Type 006 (Assembly of 2 IPCs)	P4X-150D	700	
-	4R_2.5 - 35*	Multiport IPC - 4 way	MPIPC-01	1050	
16 - 95	4 - 50	IPC Bare to Insulated - 001	IPCBI-01	263	
25 - 95	25 - 95	IPC Bare to Insulated - 002	IPCBI-02	350	

* 4 Runs of 2.5 sq.mm to 35 sq.mm

Elastomeric End Caps

Description	Model	Range (in sq.mm)	Unit Price (Rs.)	MOQ (in pcs)
End Caps	CECT 16-150	16-150	21 per End Cap	200



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Accessories for LV Aerial Bundled Cables (ABC) with Insulated & Bare Messenger

Clamps for Insulated Messenger

Description	Cable Range (in sq.mm)	Model	Unit Price(Rs.)	MOQ.(in pcs)
Anchoring Clamp**	25-35	PA 600	700	100
	16-50	PA 1000	875	
	50-70	PA 1500	1050	
Anchoring Clamp with Al. Alloy Bracket and Stainless Steel strap & Buckles.	50-70	EA1500	1750	
Double Anchoring Clamp with Al. Alloy Bracket and Stainless Steel strap and Buckles.	50-70	EAD1500	2100	
Anchoring Clamp**	70-95	PA 95-2000	1575	
Anchoring Clamp with Al. Alloy Bracket and Stainless Steel strap and Buckles.	70-95	EA 2000	2625	
Double Anchoring Clamp with Al Alloy Bracket and Stainless Steel strap and Buckles.	70-95	EAD 2000	3325	
Bolted Anchoring Clamp**	95-120	PA120	825	
Suspension Clamp**	25-50	PS1000 25-50	350	
Suspension Clamp**	25-95	PS+LM1500 25-95	473	
Suspension Clamp with Al. Alloy Bracket and Stainless Steel Strap and Buckles.	25-95	ES 1500 25-95	875	
Bolted Suspension Clamp**	25-50	BSC 25-50	350	

Note : ** Clamps can be installed with Clamps Type 1 to 4.

Pole Line Hardware

Description		Model	Unit Price (Rs.)	MOQ (in pcs)
Al Alloy Bracket as per NFC Standard	(15kN)	CA 1500	438	50
	(20kN)	CA 2000	613	
SS* Strap Roll : 20mm x 0.7mm x 50 mtr length SSR 2050			6125	20 Rolls
SS* Buckle : 100 nos per packet		SSB 20	2625	100 Packets
Steel Strap Installation Tool		SSIT	21000	2

*SS - Stainless Steel

Clamps for Bare Messenger

Description	Cable Range (in sq.mm)	Model	Unit Price (Rs.)	MOQ (in pcs)
Dead End Clamp**	25-50	DEC10-2B	273	100
	70-120	DEC40-3B	525	
	70-210	DEC70-210-3B	613	
Suspension Clamp**	25-70	SC 25-70-1B	259	
	70-210	SC 70-210-2UB	630	

Clamps as per Local Requirements

Type	Description	Model	Unit Price (Rs.)	MOQ (in pcs)
1	Flat Eye Hook - 10kN	FEH10 + PC10	175	200
	Pole Clamp - 10kN		700	
2	Flat Eye Hook - 20kN	FEH20 + PC20 (as per REC specs)	210	
	Pole Clamp - 20kN		963	
3	Bolted Eye Hook - 20kN	BEH20 (as per REC specs)	350	
4	Pole Clamp with integrated Eye Hook - 10kN	PCEH	700	

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Issued : May 2015

Supersedes : August 2013

Service Anchoring Clamp

Description	Model	Unit Price (Rs.)	MOQ (in pcs)
Service Anchoring clamp	PAS 35_HDG Bail	156	50
Service Anchoring clamp	PAS 35_SS Bail	164	

Pre-Insulated Connector for Aerial Bundled Cables (ABC)

Pre-Insulated Jointing Sleeve for Phase Cables / Street Light Cables

Cable Range (in sq.mm)	Model	Unit Price (Rs.)	MOQ (in pcs)
16	MJPT 16	840	200
25	MJPT 25	613	
35	MJPT 35	385	
50	MJPT 50	525	
70	MJPT 70	665	
95	MJPT 95	648	
120	MJPT 120	805	
150	MJPT 150	963	
16	MJPB 16	226	
25	MJPB 25	264	

Jointing Sleeve for Insulated Messengers

Cable Range (in sq.mm)	Model	Unit Price (Rs.)	MOQ (in pcs)
70	MJPT 70N	963	300
35	MJPT 35 ALUS	735	
50	MJPT 50 ALUS	858	
70	MJPT 70 ALUS	875	
95	MJPT 95 ALUS	1050	

Jointing Sleeve for Bare Messengers

Cable Range (in sq.mm)	Model	Unit Price (Rs.)	MOQ (in pcs)
25	FTS 25	438	500
35	FTS 35	438	
50	FTS 50	525	
70	FTS 70	700	
95	FTS 95	875	

Pre-Insulated Bi-Metallic Lug for End Terminals of ABC Cables

Cable Range (in sq.mm)	Model	Unit Price (Rs.)	MOQ (in pcs)
16	CPTAU 16	963	200
25	CPTAU 25	1015	
35	CPTAU 35	1138	
50	CPTAU 50	1225	
70	CPTAU 70	1400	
95	CPTAU 95	1488	
120	CPTAU 120	1575	
150	CPTAU 150	1663	

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Distribution Boxes with Spring Loaded Busbar Connection

Ampacity	Description			Cable Range	Unit Price (Rs.)	MOQ (in pcs)
	Phase	Incoming	Outgoing			
140	Single	1	4	140 A Incoming: up to 50 sq. mm. Outgoing: 2.5 to 35 sq. mm.	2450	500
		1	5		2800	
		1	9		3500	
	Three	1	2		3500	
		1	3		3850	
		1	4		4200	
200	Single	1	4	200 A Incoming: up to 70 sq mm. Outgoing: 2.5 to 50 sq. mm.	2450	
		1	5		2800	
		1	9		3500	
	Three	1	2		3500	
		1	3		3850	
		1	4		4200	
250	Single	2	6	250A Incoming: up to 50 sq. mm. Outgoing: 2.5 to 35 sq. mm.	5250	
		2	8		5600	
		2	18		8750	
	Three	1	4		4200	
		1	9		9800	
		1	9		9800	
300	Single	2	6	300A Incoming: up to 70 sq. mm. Outgoing: 2.5 to 50 sq. mm.	5250	
		2	8		5600	
		2	18		8750	
	Three	1	4		4200	
		1	9		9800	
		1	9		9800	
140	Three	1	6	SMC Bolted DB	2400	
		1	6		2800	
200	Single	1	18	ASA Bolted DB	1780	
140	Three	1	4	ASA Bolted DB	1960	

Distribution Boxes Mounting Arrangement

Description	Designation	Unit Price (Rs)	MOQ (in pcs)
Stainless Steel SS Strap Roll : 20mm x 0.7mm x 50 mtr length	SSR 2050	6125	20 Rolls
Stainless Steel SS Buckle : 100 nos per packet	SSB 20	2625	100 Packets
Steel Strap Installation Tool	SSIT	21000	2

Note:

- Earthing provision and cable gland arrangement are option
- DB with ON-OFF feature (250A) can be offered
- Boxes are also available in fire retardant version



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Issued : May 2015
Supersedes : August 2013

Raychem RPG

Connector for Bare Overhead Cables

Ampect Connectors Selection Chart for the Conductors used in India

MAIN TAP	Rabbit	Raccoon	Dog	Coyote	Wolf	Lynx	Panther	Goat	Kundha	Drake	Zebra	Moose	Tarantula	Falcon
Rabbit			AJA4010007	AJA4010012		AJA4010050	AJA4010050		AJA4010051					
Raccoon		AJA4010007	602046-5	AJA4010003	AJA4010040		1-602031-9		602121-8/9	AJA4010052	AJA4010052			
Dog			AJA4010003	AJA4010013		AJA4010019 AJA4010049	AJA4010019	602121-8/9	602121-8	AJA4010030	AJA4010030			
Coyote				AJA4010013		AJA4010018 AJA4010019 AJA4010017	AJA4010017	AJA4010030	AJA4010030	AJA4010030 AJA4010029	AJA4010023	1-602300-0		
Wolf					AJA4010017	AJA4010028	AJA4010018	AJA4010030	AJA4010029	AJA4010028	AJA4010028	AJA4010064	AJA4030009	
Lynx						AJA4010018	AJA4010020	AJA4010028	AJA4010027 AJA4010028	AJA4010027	AJA4010028	AJA4010063		
Panther							AJA4010020	AJA4010028	AJA4010027 AJA4010028		AJA4010027	AJA4010063		
Goat								AJA4010026	AJA4010057 AJA4010026		AJA4010026			AJA4030046
Kundha									AJA4010089	AJA4010004	AJA4010046	AJA4010062		
Drake										AJA4010004	AJA4010028	AJA4010025	AJA4030046	AJA4030046
Zebra											AJA4010008	AJA4010025	AJA4030046	AJA4030046
Moose												AJA4010024	AJA4010006	AJA4010006
Tarantula													AJA4010002	AJA4010002
Falcon														AJA4010002
Conductor Size Diameter (in mm.)	10.05	12.3	14.15	15.9	18.1	19.5	21	26	26.88	28.1	28.6	31.8	36.6	39.3

Note: Blue cartridges to be used for ampect connectors for which part numbers are in unshaded box.

Yellow cartridges to be used for ampect connectors for which part numbers are in shaded box.

Model	Unit Price (Rs.)	MOQ(in Pcs.)	Model	Unit Price (Rs.)	MOQ(in Pcs.)
AJA4010007	1150	1000	AJA4010002	9500	200
AJA4010003	740		AJA4010006	15677	
AJA4010012	770		AJA4010004	1900	
AJA4010013	960		AJA4010008	1867	
602046-5	680		AJA4030009	10720	
AJA4010017	1950		AJA4010023	2012	
AJA4010018	1860		AJA4010024	4781	
AJA4010019	1900		AJA4010025	4838	
AJA4010020	1650		AJA4010027	2300	
AJA4010026	2030		AJA4010046	1568	
AJA4010029	2315		AJA4010051	2916	
AJA4010030	2311		AJA4010052	2065	
AJA4010040	930		AJA4010062	3430	
AJA4010049	1070		AJA4010063	3667	
AJA4010050	930		AJA4010064	3560	
AJA4010057	2030		AJA4030046	12122	
1-602031-9	862	1-602300-0	3869		
602121-8/9	2874				

Note: Prices mentioned are only for wedge connectors. Power booster/cartridge prices will be extra depends upon site location.

Ampect Installation tool: Large - Rs 92000, Small - Rs 86,000

Universal Distribution Connectors Selection Chart (UDC)

MAIN TAP	2.5 sq.mm.	Squirrel	Gnat	Weasel	Ant	Rabbit
2.5 sq.mm.		AJA4040086	AJA4030098	AJA4010071		AJA4010088
Squirrel		AJA4010031	AJA4010031	AJA4010032	AJA4010032	AJA4010032
Gnat			AJA4010031	AJA4010032	AJA4010032	AJA4010032
Weasel				AJA4010032	AJA4010032	AJA4010032
Ant					AJA4010032	AJA4010033
Rabbit						AJA4010033
Conductor Size Diameter (in mm.)	2.25	6.33	6.63	7.77	9.3	10.05

Model	Unit Price (Rs.)	MOQ (in pcs)
AJA4040086	65	5000
AJA4030098	180	
AJA4010071	230	
AJA4010088	150	
AJA4010031	190	
AJA4010032	220	
AJA4010033	230	

Mini Wedge Connectors

Description	Unit Price (Rs.)	MOQ (in pcs)
Connector for	70 to 25 sq.mm	525
	150 to 25 sq.mm	875
Main	Tap	1000
DOG	RACCOON	

Ampact Paddle Connectors*

Description	Unit Price (Rs.)	MOQ (in pcs)
Paddle_001_610_2	875	200
Paddle_002_1400_2	1750	
Paddle_003_895_4	1400	
Paddle_004_1400_4	2275	
Paddle_005_1500_4	2800	

Bottle Palm Connectors

Description	Unit Price (Rs.)	MOQ (in pcs)
Palm Connector D50	2750	200
Palm Connector D38	2790	
Palm Connector D30	2790	
Palm Connector D22	2725	
Palm Connector D40	2800	

* **Note:** Paddle are supplied without holes contact RRL's representative for combination connectors.

- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Issued : May 2015
Supercedes : August 2013

Surge Arresters

Distribution Class

System Voltage	Rating	LD Class	Model	Unit Price (Rs)	MOQ (In pcs)
11 kV	9kV, 5kA	75A, 1000 μSec	PSO-0905	1221	300
	9kV, 5kA	150A, 1000 μSec	DA0-09A	1559	
	10kV, 5kA	200A, 2000 μSec	DA0-200-10A	2811	
	10kV, 5kA	200A, 2000 μSec	NDA-08S	3331	
22 kV	18kV, 5kA	150A, 1000 μSec	DA0-18D	2723	

Bracket & Disconnectors

Description	System Voltage	Unit Price (Rs.)	MOQ (In pcs)
Insulated straight bracket for 5kA SA	Up to 11 kV	124	100
Disconnector for 5 kA SA	Up to 22 kV	198	
Insulated shaded bracket for 5kA/10kA SA	11kV	371	
	22 kV	495	
	33kV	693	
Insulated shaded bracket with integrated disconnector for 5kA/10kA SA	11kV	698	
	22 kV	794	
	33kV	1063	

Indoor Arresters

System Voltage	Rating	LD Class	Model	Unit Price (Rs)	MOQ (In pcs)
3.3 kV	3kV, 10kA	Class-1	PSI-0310	4312	100
	4kV, 10kA	Class-1	DA1-04A-IND	3410	
	3kV, 10kA	Class-2	MCPA2-03 (2.2 PU)	5812	
6.6 kV	6kV, 10kA	Class-1	PSI-0610	4765	
	6kV, 10kA	Class-1	DA1-06A-IND	3509	
	7.2kV, 10kA	Class-1	DA1-7.2A-IND	3740	
	6kV, 10kA	Class-2	MCPA2-06 (2.2 PU)	6318	
	7.2kV, 10kA	Class-2	MCPA2-7.2 (2.2 PU)	6776	
11 kV	9kV, 10kA	Class-1	PSI-0910	5570	
	10kV, 10kA	Class-1	DA1-10A-IND	4334	
	9kV, 10kA	Class-2	MCPA2-09 (2.2 PU)	7128	
	12kV, 10kA	Class-1	PSI-1210	5936	
	12kV, 10kA	Class-1	DA1-12A-IND	4472	
	12kV, 10kA	Class-2	MCAP2-12 (2.2 PU)	7872	
	15kV, 10kA	Class-1	PSI-1510	8391	
	15kV, 10kA	Class-1	DA1-15B-IND	7150	
	15kV, 10kA	Class-2	MCPA2-15 (2.2 PU)	9746	


- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Station Class

System Voltage	Rating	LD Class	Model	Unit Price (Rs)	MOQ (In pcs)
11kV	10kV, 10kA	Class-1	DA1-10A	4442	100
	10kV, 10kA	Class-2	OCP2-08S	6435	
	9kV, 10kA	Class-3	PCA-I-009	26927	
22kV	18kV, 10kA	Class-1	DA1-18D	6222	50
	18kV, 10kA	Class-2	OCP2-15L	9653	
33kV	30kV, 10kA	Class-1	DA1-30G	9311	50
	36kV, 10kA	Class-1	DA1-36G	9643	
	30kV, 10kA	Class-2	OCP2-24L, CD 885mm	12936	
	30kV, 10kA	Class-2	OCP2-24M CD 970mm	13890	
	30kV, 10kA	Class-3	PCA-I-130	42851	
	36kV, 10kA	Class-2	OCP2-29M, CD 970mm	14850	
	36kV, 10kA	Class-3	PCA-I-136	47051	
	38.75 kV, 10kA	Class-2	OCP2-31M, CD 970mm	15593	
	38.75 kV, 10kA	Class-2	OCP2-31ML, CD 1125mm	16800	
	40kV, 10kA	Class-2	OCP2-32M, CD 970mm	16088	
	42kV, 10kA	Class-2	OCP2-34M, CD 1125mm	17380	
66kV	60kV, 10kA	Class-2	PAA11-60	32629	12
	60kV, 10kA	Class-3	PCA-I-260	56000	
110kV	96kV,10kA	Class-2	PAA333-96	49800	12
	96kV,10kA	Class-3	PCA-I-2L2L-96	109924	
132kV	120kV,10kA	Class-2	PAA333-120	53515	12
	120kV,10kA	Class-3	PCA-I-2L2L120	122164	
220kV	198kV, 10kA	Class-3	PCA-I-2L2L2L1198	217732	12
	216kV,10kA	Class-3	PCA-I-2L2L2L1216	221924	

Surge Counter / Monitor

Description	Unit Price (Rs.)	MOQ (In pcs)
SC12 Surge Counter	13524	25
SC12/AC Surge Counter with auxillary contact	14375	
SC13 Surge Counter with Leakage current Indicator	22310	
SC13/AC Surge Counter with Leakage current Indicator and auxillary contact	23575	
SC14 (Intelligent Surge Counter system with remote monitoring)	Contact Regional office	3



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice

Issued : May 2015
 Supercedes : August 2013

Insulators

Type	System Voltage	SML /SCL	End fitting Description	Unit Price (Rs)	MOQ (In pcs)
Pin Insulator	11 kV	5 kN SCL	Pin Top & Bottom with 100 mm M16 stud	1063	1000
	33 kV	10 kN SCL	Pin Top & Bottom with 100 mm M24 stud	2835	
Tension / Suspension	11 kV	45 kN	Tongue & Clevis	756	500
	11 kV	45 kN	Ball & Socket	945	
	11kV	45 kN	Ded End & Clevis	1063	
	11kV	70kN	Ball & Socket	1040	
	33kV	45kN	Tongue & Clevis	1536	
	33kV	70kN	Tongue & Clevis	1772	
	33kV	70kN	Ball & Socket	1890	
	33kV	90kN	Ball & Socket	4253	



- The prices are Ex-Works
- All Taxes including VAT, Entry Tax, Octroi, Freight, Insurance, etc. will be extra as applicable
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Personnel Protective Equipment

Arc-Suits

PCN No.	Product Code	Product Description	Hazards Category	ATPV Value in Cal/Cm ²	MOQ (in pcs)	Price (Rs)
ALA5000032	ES-AFS-CA-9-M	Arc Suit in coverall design M size - Inherent FR	HRC 2	9	2	21000
ALA5000018	ES-AFS-JPH-31.2-M	Arc Suit in Jacket + Pant + Hood design M size - Inherent FR	HRC 3	31.4	1	50000
ALA5000002	ES-AFS-JBH-40	Arc Suit in Jacket + Bib + Hood design free size - Inherent FR	HRC 4	40	1	88000
ALA2000019	ES-AFS-FS-12	Arc Face Shield With Chin cup	HRC 2	12.4	10	16800

Electrical Insulation Boots

PCN NO.	Product Code	Product Description	Size European	MOQ (in pair)	Price (Rs)
ALA6000001	ES-DS-07	Elecsafe Dielectric Shoes, Made of Insulated Steel Toe and Patented Rubber Sole, Shoe approved as per EN 50321, Steel Toe Approved for 200 Joules as per EN ISO 20345, Sole Slip Resistance approved as per EN 13287	7	2	9910
ALA6000002	ES-DS-08		8	2	9910
ALA6000003	ES-DS-09		9	2	9910
ALA6000010	ES-DS-10		10	2	9910

Electrical Safety Helmets

PCN NO.	Product Code	Product Description	MOQ (in pair)	Price (Rs)
ALA1000035	ESSHH	Elecsafe-class -E ,33kV, Tested as per ANSI Z89.1-1991 Standard	30	420
ALA1000001	ESSHHPBVPW	6 Point Suspension, Pin Lock Head Harness, HDPE Material, Basic Version, White Colour	30	151
ALA1000002	ESSHHPBVPY	6 Point Suspension, Pin Lock Head Harness, HDPE Material, Basic Version, Yellow Colour	30	151
ALA1000003	ESSHHPBVRV	6 Point Suspension, Ratchet Head Harness, HDPE Material, Basic Version, White Colour	30	171
ALA1000004	ESSHHPBVRW	6 Point Suspension, Ratchet Head Harness, HDPE Material, Basic Version, Yellow Colour	30	171

- The prices are Ex-Works
- All Taxes , Duties, Fees, Insurance, etc. will be extra as applicable. Transportation extra
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015
Supercedes : August 2013

Electrical Insulation Gloves


PCN No.	Product Code	Product Description	MOQ (in pair)	Price (Rs)
ALA4000 005	ES-HP-EST2-WH	Elecsafe-Type-1 Electrical Insulated Handgloves, Test Potential 5000v, Working Voltage 650v, As Per IS 4770	20	580
ALA4000 006	ES-HP-EST2-WH	Handgloves, Test Potential 10000v, Working Voltage 1100v, As Per IS 4770	20	631
ALA4000 007	ES-HP-EST3-WH	Handgloves, Test Potential 17000v, Working Voltage 7500v, As Per IS 4770.	20	841
ALA4000 009	ES-HP-EST4-WH	Elecsafe-Type-4 Electrical Insulated Handgloves, Test Potential 25000v, Working Voltage 17000v, As Per IS 4770. Size-355mm	20	2220
ALA4000 063	ES-HP-CLOO-OR	Elecsafe-class-00, Electrical Insulated Handgloves, Test Potential 2500v, Working Voltage 500v, As Per IEC 60903, Orange Colour , Size 10 / Length 280mm / Rolled Cuff	10	1900
ALA4000 064	ES-HP-CLO-OR	Elecsafe-class-0, Electrical Insulated Handgloves, Test Potential 5000v, Working Voltage 1000v, As Per IEC 60903, Orange Colour / Size 10 / Length 280mm / Rolled Cuff	10	2200
ALA4000 045	ES-HP-CLO-OR	Elecsafe-class-00, Electrical Insulated Handgloves, Test Potential 2500v, Working Voltage 500v, As Per IEC 60903, Orange Colour / Size 10 / Length 360mm / Rolled Cuff	10	2150
ALA4000 039	ES-HP-CLO-OR	Elecsafe-class-0, Electrical Insulated Handgloves, Test Potential 5000v, Working Voltage 1000v, As Per IEC 60903, orange Colour / Size 10 / Length 360mm / Rolled Cuff	10	3000
ALA4000 050	ES-HP-CL-OR	Elecsafe-class-1, Electrical Insulated Handgloves, Test Potential 10000v, Working Voltage 7500v, As Per IEC 60903, Orange Colour / Size 10 / Length 360mm / Rolled Cuff	10	4200
ALA4000 035	ES-HP-CL2-OR	Elecsafe-class-2, Electrical Insulated Handgloves, Test Potential 20000v, Working Voltage 17000v, As Per IEC 60903, Orange Colour / Size 10 / Length 360mm / Rolled Cuff	10	5200
ALA4000 055	ES-HP-CL3-OR	Elecsafe-class-3, Electrical Insulated Handgloves, Test Potential 30000v, Working Voltage 26500v, As Per IEC 60903, Orange Colour / Size 10 / Length 360mm / Rolled Cuff	10	10100
ALA4000 065	ES-HP-CL4-OR	Elecsafe-class-4, Electrical Insulated Handgloves, Test Potential 40000v, Working Voltage 36000v, As Per IEC 60903, Orange Colour / Size 10 / Length 410mm / Rolled Cuff	10	10700

For selection kindly choose the maximum working Voltage parameters.
All IS gloves are available in off white color & IEC category are made in Orange color.

- The prices are Ex-Works
- All Taxes , Duties, Fees, Insurance, etc. will be extra as applicable. Transportation extra
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Insulation Rubber Mats

PCN No.	Product Code	Product Description	MOQ (in roll)	Price
ALA6000 071	-	Elecsafe-AH-Insulated Electrical Matting as per IS 15652:2006 Class A, Working Voltage upto 3.3 kV, 2 mm thickness, 1 mtr * 5 Mtr Roll, Blue Color with one side fine chequered & other side anti skid small button	5	11000
ALA6000 072	-	Elecsafe-AH-Insulated Electrical Matting as per IS 15652:2006 Class B, Working Voltage upto 11 kV, 2.5 mm thickness, 1mtr * 5 Mtr Roll, Blue Color with one side fine chequered & other side anti skid small button	5	13500
ALA6000 073	-	Elecsafe-AH-Insulated Electrical Matting as per IS 15652:2006 Class C, Working Voltage upto 33 kV, 3 mm thickness, 1 mtr * 5 Mtr Roll, Blue Color with one side fine chequered & other side anti skid small button	1	21500
ALA6000 043	ES-IM- BCL-1	Elecsafe BASIC Insulated Electrical Matting Class 1-PV Tested Upto 10 KV, 2mm thickness, 1 mtr * 10 Mtr, Color Black with one side fabric & other side plane finish as per IEC 61111	1	12700
ALA6000 050	ES-IM- BCL-2	Elecsafe BASIC Insulated Electrical Matting Class 2-PV Tested Upto 20 KV, 3mm thickness, 1mtr * 10 Mtr, Color Black with one side fabric & other side plane finish as per IEC 61111	1	19000
ALA6000 042	ES-IM- BCL-3	Elecsafe BASIC Insulated Electrical Matting Class 3-PV Tested Upto 30 KV, 4mm thickness, 1mtr * 10 Mtr, Color Black with one side fabric & other side plane finish as per IEC 61111	1	25300
ALA6000 060	ES-IM- BCL-4	Elecsafe BASIC Insulated Electrical Matting Class 4-PV Tested Upto 40 KV, 5.2mm thickness, 1mtr*10 Mtr, Color Black with one side fabric & other side plane finish as per IEC 61111	1	32900



- The prices are Ex-Works
- All Taxes , Duties, Fees, Insurance, etc. will be extra as applicable. Transportation extra
- The Company reserves the right to change prices without notice
- Raychem RPG products are guaranteed only if same are supplied by Raychem RPG directly or supplied through their authorized distributors/dealers

Issued : May 2015
Supersedes : August 2013

Installations for Joints & Terminations

Cable Size (sq.mm.)	Description	Unit Price (Rs.)
For 1.1kV XLPE upto 300 sq.mm. 400 to 1000 sq.mm.	Straight Through & Branch Joints/Terminations	1,800
		2,400
For 11kV XLPE upto 300 sq.mm. 400 to 1000 sq.mm.	Indoor/Outdoor Terminations	2,500
		3,200
For 11kV upto 300 sq.mm. 400 to 1000 sq.mm.	Straight Through Joints	3,200
		4,300
For 22kV / 33kV XLPE upto 300 sq.mm. 400 to 1000 sq.mm.	Indoor/Outdoor Terminations GIS (Set of 3)	3,800
		4,800
For 22kV / 33kV upto 300 sq.mm. 400 to 1000 sq.mm.	Straight Through Joints	4,800
		6,000
For 66kV upto 220 kV XLPE	Joint/ Termination/ GIS (66kV)	15,000/15,000/30,000
	Joint/ Termination/ GIS (132kV)	45,000/45,000/65,000
	Joint/ Termination/ GIS (220kV)	1,10,000/1,10,000/1,50,000



- All quoted prices are basic prices
- Service Tax, other taxes and duties shall be charged extra as applicable
- RRL shall need 3-6 days (upto 33kV) & 2 weeks (66kV and above) prior notice for arranging the jointer
- Idle / cancellation charges shall be Rs. 3500/- per day per jointer
- Above prices are applicable for INDIA Only
- Above price list is for reference purpose. However, any big/clients specific requirements will need discussion

TERMS AND CONDITIONS

- Jointing Kits & Consumables:** All Raychem RPG make 1.1kV to 66kV Jointing and Termination Kits, and labour required for handling of cable/digging etc. or other site work to be provided by the client on site.
- Payment Terms:** 100% Payment in advance against perform invoice
- Tools & Tackles:** Client shall provide gas cylinder & hydraulic tool, rest all tools & tackles shall be provided by RRL.
- Travel Expenses & Boarding:** The travel, boarding & lodging expenses onsite shall be paid by client on actual basis.
- Guarantee Period:** Kits installed by Raychem Jointers shall be guaranteed for 12 months from the date of installation. The guarantee is limited for design or manufacturing defect. Raychem shall not be responsible for any other loss or damage.

Client's Obligations:


- Client on his own account shall, provide and take care of the following:
- Undertake the overall co-ordination and project management for the project.
 - Arrangement for the onsite facilities prior to the arrival of the Raychem jointer:
 - Tents, light ,scaffolds, LPG, local helpers, waste cloth, etc & special type of AC chambers for 132kV and above
 - All necessary civil Work
 - Supply & mounting of all steel structures such as supports for termination & cable trays
 - Rain & sun protection for erection of the outdoor terminations and joints
 - Enclosure and necessary scaffolds for erection of the terminations
 - Cables have to be laid up to termination end and properly installed in place fixed by cleats or other means
 - Lifting facilities such as cranes, etc.
 - Fire protection and site communication
 - Arranging local transport for RRL's jointers, cable drums & all equipment.
 - Obtaining necessary permissions from local authorities if required.
 - Testing & Commissioning shall NOT be in scope of Raychem

For GIS/ Transformer Terminations

- Dismantling the switchgear casing for the cable termination to enable mounting of the GIS Cable terminations
- Filling of SF6 gas in switchgear
- Total responsibility for working on SF6 gas switchgear will be of the client / SF6 switchgear manufacturer.
- DC test set for Transformer/GIS for each phase to be provided by client.

RAYCHEM INNOVATION CENTRE

State-of-the-art Raychem Innovation Centre at Halol, Gujarat



Regional Offices:

Bengaluru +91 80 40676666
Chennai +91 44 65718438

Delhi +91 11 45753700
Kolkata +91 33 40044081
Mumbai +91 22 61847300

Customer Care Centre:

Toll Free No. **1800 209 9769**

e-mail your queries to:

energy@raychemrpg.com

www.raychemrpg.com

— Disclaimer —

All of the above information, including drawings, illustrations and graphic designs, reflects our present understanding and is to the best of our knowledge and belief correct and reliable. Users, however, should independently evaluate the suitability of each product for the desired application. Under no circumstances does this constitute an assurance of any particular quality or performance.